

Safety Data Sheet: Simple Green® Anti-Spatter

Version No. 13450-16A Issued: 1 September 2016

Supersedes: February 2014

Prior version no: 13450AU-14A

Model Code of Practice - Preparation of Safety Data Sheets for Hazardous Chemicals 23/12/2011

Section 1: IDENTIFICATION: PRODUCT IDENTIFIER & IDENTITY FOR THE CHEMICAL

Product identifier: Simple Green® Anti-Spatter

Other means of identification: Please see section 16

Recommended use of chemical: Prespray to protect surfaces from spatter building during welding

Restrictions on use of chemical: Do not use on non-rinsable or asphalt surfaces.

Details of manufacturer or importer:

Simple Green Australia Pty Ltd.

P.O. Box 1253 Golden Grove Village LPO

Golden Grove, SA 5125 Australia

Email: info@simplegreenaustralia.com

ACN: 18862416081

Telephone: 1300 826 470

Fax: 1300 826 473

Website: australia.simplegreen.com

Emergency Phone: 1300 826 470 Available Monday – Friday, 9am-5pm

13 11 26 Australia Poisons Information Centre, Available 24 hours a day, 7 days a week

Section 2: HAZARDS IDENTIFICATION

Classification of the hazardous chemical according to Model Work Health & Safety Regulations:

Eye Damage / Irritation : Category 2B

Not classifiable as a hazardous chemical. Hazardous chemical ...does not include a substance, mixture or article that satisfies the criteria solely for one of the following hazard classes: (e) serious eye damage/eye irritation - category 2B. See regulations for full exemption.

Label Elements:

Signal Word: Warning.

Pictogram: None

Hazard Statement: H320 – Causes eye irritation.

Precautionary Statement: P264 - Wash hands thoroughly after handling

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical attention.

Other hazards with do not result in classification: None known.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

<u>Ingredient</u>	<u>CAS Number</u>	<u>Percent Range</u>
Water	7732-18-5	≥ 90%*
Triethanolamine	102-71-6	≤ 5%*
Ethoxylated Alcohol	68439-46-3	≤ 1%*
Quaternary Amine mixture	Proprietary	≤ 1%*
Propylene Glycol Butyl Ether	5131-66-8	≤ 1%*
Tetrapotassium Pyrophosphate	7320-34-5	≤ 1%*
Sodium Disilicate	1344-09-8	≤ 1%*

*exact percentage of ingredients are commercially confidential

Section 4: FIRST AID MEASURES

Description of necessary first aid measures

Inhalation: Immediate and delayed symptoms - Not expected to cause respiratory irritation. If adverse effect occurs, move to fresh air.

Section 4: FIRST AID MEASURES - continued

Skin contact: *Immediate and delayed symptoms* - Not expected to cause skin irritation. If adverse effect occurs, rinse skin with water.

Eye Contact: *Immediate symptoms* – Causes eye irritation. IF IN EYS: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion: *Immediate and delayed symptoms* - May cause upset stomach. Drink plenty of water to dilute. See section 11. For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor.

First Aid Facilities: Eye wash station or treatment recommended.

Symptoms caused by exposure: No expected acute, delayed or aggravated conditions or symptoms from exposure to mixture.

Medical attention and special treatment: Treat symptomatically. No testing or monitoring for delayed effect required.

Section 5: FIRE FIGHTING MEASURES

Suitable Extinguishing equipment: *Suitable-* Use dry chemical, CO₂, water spray or “alcohol” foam.
*Unsuitable-*High volume jet water.

Specific hazards arising from the chemical: *Formulation is non-flammable and will boil until evaporated.*

Special protective equipment and precautions for fire fighters: Keep containers cool with water spray. Firefighters should wear self-contained breathing apparatus and full fire-fighting turn-out gear and eye protection.

See Section 16 for NFPA information

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Eyeglasses/ goggles and gloves recommended to prevent eye contact. Ensure sufficient ventilation. Area should be roped off to prevent slips and falls.

Environmental Precautions: Prevent runoff from entering drains, sewers, surface and ground water.

Methods and materials for containment and cleaning up: Cap or plug leaking containers. Cover all drains. Dike or soak up with inert adsorbent material. Dispose of in appropriate waste containers. See Section 13 for disposal considerations.

Section 7: HANDLING AND STORAGE

Precautions for safe handling: Before use carefully read the product label. Use of safe work practices are recommended to avoid eye contact and spills. Observe good personal hygiene, including washing hands after use and before eating. Remove contaminated clothing and protective equipment before entering eating area. Prohibit eating, drinking and smoking in contaminated area (eg. If container is damaged). Ensure adequate ventilation. Keep out of reach of children. Keep away from heat, sparks, open flame and direct sunlight. Do not pierce any part of the container.

Conditions for safe storage, including any incompatibilities: Store in cool, dry, well-ventilated area, removed from oxidizing agents, acids and foodstuffs. Ensure containers are adequately labeled and protected from physical damage when not in use. Do not store at temperatures above 109°F (42.7°C). If separation occurs, mix the product for reconstitution.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure standards: Triethanolamine (102-71-6) 5 mg/m³ PEL

Biological monitoring: Not provided.

Appropriate engineering controls: Use in well ventilated areas and have eyewash stations, eyewash treatments, or showers available.

Safety Data Sheet: Simple Green® Anti-Spatter

Version No. 13450-16A Issued: 1 September 2016

Supersedes: February 2014

Prior version no: 13450AU-14A

Model Code of Practice - Preparation of Safety Data Sheets for Hazardous Chemicals 23/12/2011

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION - continued

Personal protective equipment (PPE)

Eye and Face Protection: Safety glasses, goggles or shields recommended.
Skin Protection: Not necessary. PVC or nitrile gloves suggested for individuals prone to dry skin.
Respiratory Protection: Not necessary.
Thermal Hazards: Not applicable.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear Colourless Liquid	Partition Coefficient: n-octanol/water:	Not determined
Odor:	No added odour	Autoignition Temperature:	Non-flammable
Odor Threshold:	Not determined	Decomposition Temperature:	109°F
pH:	9.0 – 10.5	Viscosity:	Like water
Freezing Point:	0°C (32°F)	Specific Gravity :	1.00 – 1.01
Boiling Point & Range:	98°C (210°F)	VOCs:	**Water & fragrance exemption in calculation
Flash Point:	> 212°F	SCAQMD 304-91 / EPA 24:	Not tested
Evaporation Rate:	9.54% per hour	CARB Method 310**:	5 g/L 0.5%
Flammability (solid, gas):	Non-flammable	SCAQMD Method 313:	5.1 g/L 0.51%
Upper/Lower Flammability or Explosive Limits:	Non-flammable	VOC Composite Partial Pressure:	Not determined
Vapor Pressure :	20.7 mmHg	Relative Density:	8.34 – 8.42 lb/gal
Vapor Density:	Not determined	Solubility:	100% in water
Nutrient Content:	Nitrogen < 0.1% (0% by formula) Phosphorous < 0.25% (by formula)		Sulfur < 0.1% (0% by formula)

Section 10: STABILITY AND REACTIVITY

Reactivity: Non-reactive.
Chemical stability: Stable under normal conditions 21°C (70°F) and 14.7 psig (760 mmHg).
Conditions to avoid: Excessive heat or cold.
Incompatible materials and possible hazardous reactions: None known.
Hazardous decomposition products: None known.

Section 11: TOXICOLOGICAL INFORMATION

Information on Routes of Exposure:

Inhalation - Overexposure may cause headache.
Skin Contact - Not expected to cause irritation, repeated contact may cause dry skin.
Eye Contact - Causes mild eye irritation.
Ingestion - May cause upset stomach.

Early onset symptoms related to exposure: No symptoms expected under typical use conditions.

Delayed health effects from exposure: No symptoms expected under typical use conditions. Overexposure may lead to headache and dry skin.

Numerical Measures of Toxicity

Acute Toxicity: Oral LD₅₀ (rat) > 5 g/kg body weight
Dermal LD₅₀ (rabbit) > 5 g/kg body weight

Calculated via OSHA HCS 2012 / Globally Harmonized System of Classification and Labelling of Chemicals

Skin Corrosion/Irritation: Non-irritant per Dermal Irritation® assay modeling. No animal testing performed.
Eye Damage/Irritation: Minimal irritant per Ocular Irritation® assay modeling. No animal testing performed. GHS category 2B not recognized as hazardous by Safe Work Australia
Respiratory or skin sensitization: No ingredients trigger or classify under this category.
Germ Cell Mutagenicity: No ingredients trigger or classify under this category.

Section 11: TOXICOLOGICAL INFORMATION – continued

Carcinogenicity:	Volume of ingredients does not trigger or classify under this category. This product contains trace amounts of Diethanolamine (<0.01%, IARC 2B and ACGIH A3)
Reproductive Toxicity:	No ingredients trigger or classify under this category.
STOT-Single Exposure:	No ingredients trigger or classify under this category.
STOT-Repeated Exposure:	No ingredients trigger or classify under this category.
Aspiration Hazard:	No ingredients trigger or classify under this category.

Exposure levels: No ingredients have recognized exposure levels

Interactive effects: Not known.

Data limitations: There are no data limitations when assessing this mixture.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity:	Volume of ingredients used does not trigger toxicity classifications under the Globally Harmonized System of Classification and Labelling of Chemicals.
Aquatic:	Not tested on finished formulation.
Terrestrial:	Not tested on finished formulation.
Persistence and Degradability:	Readily Biodegradable per OCED 301D, Closed Bottle Test
Bioaccumulative Potential:	No data available.
Mobility in Soil:	No data available.
Other Adverse Effects:	No data available.

Section 13: DISPOSAL CONSIDERATIONS**Safe handling and disposal methods**

Unused or used liquid: may be considered hazardous in your area depending on usage and tonnage of disposal – check with local council and/or state environmental authority for advice on disposal of chemicals.

Disposal of packaging

Contaminated packaging: may be considered hazardous in your area depending on usage and tonnage of disposal – check with local council and/or state environmental authority for advice on disposal of chemicals.

Empty non-contaminated packaging: may be offered for recycling.

Environmental regulations

Never dispose of used degreasing rinsates into lakes, streams, and open bodies of water or storm drains.

Section 14: TRANSPORT INFORMATION

U.N. Number:	Not applicable	U.N. Proper Shipping Name:	Cleaning Compound, Liquid NOI
Transport Hazard Class(es):	Not applicable		
Packing Group:	Not applicable		
Environmental Hazards:	Marine Pollutant - NO		
Transport in Bulk (according to Annex II of MARPOL 73/78 and IBC Code):	Unknown.		
Special precautions which user needs to be aware of/comply with, in connection with transport or conveyance either within or outside their premises:	None known.		
Additional information:	Unknown.		
Hazchem or Emergency Action Code:	No Hazchem or action code applies to this mixture.		
U.S. (DOT) / Canadian TDG:	Not Regulated for shipping.	ICAO/ IATA:	Not classified as Hazardous
IMO / IDMG:	Not classified as Hazardous	ADR/RID:	Not classified as Hazardous

Safety Data Sheet: Simple Green® Anti-Spatter

Version No. 13450-16A Issued: 1 September 2016

Supersedes: February 2014

Prior version no: 13450AU-14A

Model Code of Practice - Preparation of Safety Data Sheets for Hazardous Chemicals 23/12/2011

Section 15: REGULATORY INFORMATION

Is the hazardous chemical subject to

Montreal Protocol (Ozone depleting substances):	No
The Stockholm Convention (Persistent Organic Pollutants):	No
The Rotterdam Convention (Prior Informed Consent):	No
Basel Convention (Hazardous Waste):	No
International Convention for the Prevention of Pollution from Ships (MARPOL):	No

AICS: All chemicals listed on the Australian Inventory of Chemical Substances (AICS)

Poison Schedule: Poison Schedule 5

Section 16: OTHER INFORMATION

Manufacturer's Part Numbers

1410001213452 -	946 millilitre
1410000413454 -	3.78 litre
1400000113457 -	18.92 litre

NFPA:

Health – irritant

Flammability – Non-flammable

Stability – Stable

Special - None



Prepared / Revised By: Sunshine Makers, Inc., Regulatory Department.

This SDS has been revised in the following sections: SWA SDS format and classification

DISCLAIMER: The information provided with this MSDS is furnished in good faith and without warranty of any kind. Personnel handling this material must make independent determinations of the suitability and completeness of information from all sources to assure proper use and disposal of this material and the safety and health of employees and customers. Sunshine Makers, Inc. assumes no additional liability or responsibility resulting from the use of, or reliance on this information.